In the United States Patent and Trademark Office

Serial Number:
Appn. Filed: 09/20/03 Applicant(s): PALLAS L CLOUATRE JAMES M DUNN Appn. Fille: (-) - Hydroxycitus Acid for Delaying Souther Emplying
Applicant(s): DALLAS L CLOUATRE JAMES
Appn. Title: (-) - Hydroxyatric And for Waldy Sailie Conf.
Mailed: $O9/ZO/03$ At: $SANTA MONICA CA$
At: SANTA MODICA CH
Information Disclosure Statement
Assistant Commissioner for Patents
Washington, District of Columbia 20231
Sin
Attached is a completed Form PTO-1449 and copies of the pertinent parts of the references cited thereon. Following are comments on
any non-English-language references pursuant to Rule 98:
Very respectfully,
Applicant(s): Dellas L Cloust
a James M. Sum m.O.
Enc.: PTO-1449 & References
c/o: DALLAS L CLOUATRE
1247 LINCOLN BLVD #112
SANTA MONICA, CA 90401
Telephone: 3/0/656 - 0474
Certificate of Mailing
CERTIFICATE OF MAILING US Express Mail I certify that this correspondence will be deposited with the United States Postal Service as its class mail with proper postage affixed
in an envelope addressed to: "Assistant Commissioner for Patents, Washington, DC 20231" on the date below.
Date: 1989 09/20/03

Dallas L. Clouatre, et al. (–)-HYDROXYCITRIC ACID FOR DELAYING GASTRIC EMPTYING September 20, 2003

U.S. PATENT DOCUMENTS

5,945,107	08/1999	Hessel et al.	424	195.1
6,160,172	12/2000	Balasubramanyam et al.	562	584
6,207,714	03/2001	Clouatre et al.	514	574
6,221,901	04/2001	Shrivastava et al.	514	458
6,395,296	05/2002	Balasubramanyam et al.	424	439
6,447,807	09/2002	Clouatre et al.	424	494
6,474,071	11/2002	Clouatre et al.	514	557
10/303,117	11/2002	Clouatre, et al.		
10/447,992	05/2003	Clouatre, et al.		
2003/ 0119913	06/2003	Ohia et al.	514	574
10/616321	07/2003	Clouatre et al.		

OTHER PRIOR ART

Acalovschi M, Dumitrascu DL, Csakany I. Gastric and gall bladder emptying of a mixed meal are not coordinated in liver cirrhosis--a simultaneous sonographic study. Gut. 1997 Mar;40(3):412-7.

Andersen T, Fogh J. Weight loss and delayed gastric emptying following a South American herbal preparation in overweight patients. J Hum Nutr Diet. 2001 Jun;14(3):243-50.

Aprile LR, Meneghelli UG, Martinelli AL, Monteiro CR. Gastric motility in patients with presinusoidal portal hypertension. Am J Gastroenterol. 2002 Dec;97(12):3038-44.

Barrachina MD, Martinez V, Wang L, Wei JY, Tache Y. Synergistic interaction between leptin and cholecystokinin to reduce short-term food intake in lean mice. Proc Natl Acad Sci U S A. 1997 Sep 16;94(19):10455-60.

	,		ATTY. DOCKET NO.	SERIAL N			
LIST OF	PRIOR ART CITED BY	FORM PTO-1449 (Substitute) LIST OF PRIOR ART CITED BY APPLICANT			10.		
(Use several sheets if necessary)			September 20, 2003	GROUP	GROUP		
		U.S	S. PATENT DOCUMENTS				
*EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NA ME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE	
/	AA 3,764,692	10/1973	Lowenstein	424	279		
,	ав 3,767,678	10/1973	Guthrie et al.	260	343.6		
,	ac 3,919,254	11/1975	Guthrie et al.	260	343.6		
J	3,993,668	11/1976	Guthrie et al.	260	343.6		
1	4,312,885	01/1982	Guthrie et al.	424	317		
ı	AF 4,443,619	04/1984	Guthrie et al.	549	518		
,	AG 5,536,516	07/1996	Moffett et al.	426	271		
,	ан 5,626,849	05/1997	Hastings et al.	424	195.1		
	AI 5,656,314	08/1997	Moffett et al.	424	271		
,	5,783,603	07/1998	Majeed et al.	514	574		
,	ak 5,914,326	06/1999	McCarty et al.	514	188		
		FORE	IGN PATENT DOCUMENTS				
	WO 02/14477 A2	02/2002	Majeed et al.				
,	MO 03/053454	07/2003	Bagchi et al.				
1	AN						
1	AO						
,	AP						
	OTHER	PRIOR ART (Incl	uding Author, Title, Date, Pertinent	Pages, Etc.)			
	see attached sheets	for additional	prior art				
					<u> </u>		
,	AS						
						ļ	
, ,	AT						

EXAMINER

DATE CONSIDERED

^{*} EXAMINE R: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Clouatre, et al.

(-)-HYDROXYCITRIC ACID FOR DELAYING GASTRIC EMPTYING

Borovicka J, Schwizer W, Guttmann G, Hartmann D, Kosinski M, Wastiel C, Bischof-Delaloye A, Fried M. Role of lipase in the regulation of postprandial gastric acid secretion and emptying of fat in humans: a study with orlistat, a highly specific lipase inhibitor. Gut. 2000 Jun;46(6):774-81.

Chaw CS, Yazaki E, Evans DF. The effect of pH change on the gastric emptying of liquids measured by electrical impedance tomography and pH-sensitive radiotelemetry capsule. Int J Pharm. 2001 Oct 4;227(1-2):167-75.

Chey WD. Tegaserod and other serotonergic agents: what is the evidence? Rev Gastroenterol Disord. 2003;3 Suppl 2:S35-40.

Chial HJ, Camilleri M, Burton D, Thomforde G, Olden KW, Stephens D. Selective effects of serotonergic psychoactive agents on gastrointestinal functions in health. Am J Physiol Gastrointest Liver Physiol. 2003 Jan;284(1):G130-7.

Clouatre D, Rosenbaum ME. The Diet and Health Benefits of HCA (Hydroxicitric Acid), 1994.

Debreceni A, Abdel-Salam OM, Figler M, Juricskay I, Szolcsanyi J, Mozsik G. Capsaicin increases gastric emptying rate in healthy human subjects measured by 13C-labeled octanoic acid breath test. J Physiol Paris. 1999 Nov;93(5):455-60.

Delgado-Aros S, Vella A, Camilleri M, Low PA, Burton DD, Thomforde GM, Stephens D. Effects of glucagon-like peptide-1 and feeding on gastric volumes in diabetes mellitus with cardio-vagal dysfunction. Neurogastroenterol Motil. 2003 Aug;15(4):435-43.

Drury, Heber. "Garcinia cambogia" in The Useful Plants Of India, 2nd Edition. (William H. Allen and Co., London: 1873) p. 220.

Frost GS, Brynes AE, Dhillo WS, Bloom SR, McBurney MI. The effects of fiber enrichment of pasta and fat content on gastric emptying, GLP-1, glucose, and insulin responses to a meal. Eur J Clin Nutr. 2003 Feb;57(2):293-8.

Greenwood MR, Cleary MP, Gruen R, Blase D, Stern JS, Triscari J, Sullivan AC. Effect of (-)-hydroxycitrate on development of obesity in the Zucker obese rat. Am J Physiol. 1981 Jan;240(1):E72-8.

Clouatre, et al.

(-)-HYDROXYCITRIC ACID FOR DELAYING GASTRIC EMPTYING

Hansen L, Holst JJ. The effects of duodenal peptides on glucagon-like peptide-1 secretion from the ileum. A duodeno--ileal loop? Regul Pept. 2002 Dec 31;110(1):39-45.

Hayamizu K, Hirakawa H, Oikawa D, Nakanishi T, Takagi T, Tachibana T, Furuse M. Effect of Garcinia cambogia extract on serum leptin and insulin in mice. Fitoterapia. 2003 Apr;74(3):267-73.

Hellstrom PM, Naslund E. Interactions between gastric emptying and satiety, with special reference to glucagon-like peptide-1. Physiol Behav. 2001 Nov-Dec;74(4-5):735-41.

Heymsfield SB, Allison DB, Vasselli JR, Pietrobelli A, Greenfield D, Nunez C. Garcinia cambogia (hydroxycitric acid) as a potential antiobesity agent: a randomized controlled trial. JAMA. 1998;280:1596-1600; .; also, especially, Letters, JAMA 1999;282:235..

Ishihara K, Oyaizu S, Onuki K, Lim K, Fushiki T. Chronic (–)-hydroxycitrate administration spares carbohydrate utilization and promotes lipid oxidation during exercise in mice. J Nutr. 2000 Dec;130(12):2990-5.

Jena BS, Jayaprakasha GK, Singh RP, Sakariah KK. Chemistry and biochemistry of (-)-hydroxycitric acid from Garcinia. J Agric Food Chem. 2002 Jan 2;50(1):10-22.

Kaplan JM, Siemers WH, Smedh U, Schwartz GJ, Grill HJ. Gastric branch vagotomy and gastric emptying during and after intragastric infusion of glucose. Am J Physiol. 1997 Nov;273(5 Pt 2):R1786-92.

Layer P, von der Ohe MR, Holst JJ, Jansen JB, Grandt D, Holtmann G, Goebell H. Altered postprandial motility in chronic pancreatitis: role of malabsorption. Gastroenterology. 1997 May;112(5):1624-34.

Leonhardt M, Langhans W. Effect of hydroxycitrate on food intake and body weight regain in rats after hepatic branch vagotomy or sham vagotomy. Society for the Study of Ingestive Behavior, Annual Meeting 2001.

Leonhardt M, Langhans W. Hydroxycitrate has long-term effects on feeding behavior, body weight regain and metabolism after body weight loss in male rats. J Nutr. 2002 Jul;132(7):1977-82.

Lewis, YS, Neelakantan S. (-)-Hydroxycitric acid--the principal acid in the fruits of Garcinia cambogia Desr. Phytochemistry 1965;4:619-625.

Clouatre, et al.

(-)-HYDROXYCITRIC ACID FOR DELAYING GASTRIC EMPTYING

Lewis YS. Isolation and properties of hydroxycitric acid. In John M. Lowenstein, ed., volume 13 in Methods in Enzymology, Citric Acid Cycle (New York: Academic Press, 1969) 613-619.

Loe Y, Bergeron N, et al. Time Course of Hydroxycitrate Clearance in Fasting and Fed Humans. FASEB Journal 15;4:632, Abs. 501.1, 2001.

Loe YC, Bergeron N, et al. Gas chromatography/mass spectrometry method to quantify blood hydroxycitrate concentration. Anal Biochem. 2001 May 1;292(1):148-54.

Mahendran P, Vanisree AJ, Shyamala Devi CS. The antiulcer activity of *Garcinia cambogia* extract against indomethacin-induced gastric ulcer in rats. Phytother Res. 2002 Feb;16(1):80-3.

Matsuda H, Shimoda H, Ninomiya K, Yoshikawa M. Inhibitory mechanism of costunolide, a sesquiterpene lactone isolated from Laurus nobilis, on blood-ethanol elevation in rats: involvement of inhibition of gastric emptying and increase in gastric juice secretion. Alcohol Alcohol. 2002 Mar-Apr;37(2):121-7.

Matsuda H, Li Y, Yoshikawa M. Roles of capsaicin-sensitive sensory nerves, endogenous nitric oxide, sulfhydryls, and prostaglandins in gastroprotection by momordin Ic, an oleanolic acid oligoglycoside, on ethanol-induced gastric mucosal lesions in rats. Life Sci. 1999;65(2):PL27-32.

Matsuda H, Li Y, Murakami T, Yamahara J, Yoshikawa M. Structure-related inhibitory activity of oleanolic acid glycosides on gastric emptying in mice. Bioorg Med Chem. 1999 Feb;7(2):323-7.

Matsuda H, Li Y, Yamahara J, Yoshikawa M. Inhibition of gastric emptying by triterpene saponin, momordin Ic, in mice: roles of blood glucose, capsaicin-sensitive sensory nerves, and central nervous system. J Pharmacol Exp Ther. 1999 May;289(2):729-34.

Matsuda H, Murakami T, Li Y, Yamahara J, Yoshikawa M. Mode of action of escins Ia and IIa and E,Z-senegin II on glucose absorption in gastrointestinal tract. Bioorg Med Chem. 1998 Jul;6(7):1019-23.

Mattes RD, Bormann L. Effects of (-)-hydroxycitric acid on appetitive variables. Physiol Behav. 2000 Oct 1;71(1-2):87-94.

Meier JJ, Gallwitz B, Schmidt WE, Nauck MA. Glucagon-like peptide 1 as a regulator of food intake and body weight: therapeutic perspectives. Eur J Pharmacol. 2002 Apr 12;440(2-3):269-79.

Clouatre, et al.

(-)-HYDROXYCITRIC ACID FOR DELAYING GASTRIC EMPTYING

Nauck MA, Niedereichholz U, Ettler R, Holst JJ, Orskov C, Ritzel R, Schmiegel WH. Glucagon-like peptide 1 inhibition of gastric emptying outweighs its insulinotropic effects in healthy humans. Am J Physiol. 1997 Nov;273(5 Pt 1):E981-8.

Ohia SE, Opere CA, LeDay AM, Bagchi M, Bagchi D, Stohs SJ. Safety and mechanism of appetite suppression by a novel hydroxycitric acid extract (HCA-SX). Mol Cell Biochem. 2002 Sep;238(1-2):89-103.

Publications & Information Directorate, Council of Scientific & Industrial Research. The Useful Plants of India. (New Delhi: Publications & Information Directorate, 1986) 229.

Rao RN, Sakariah KK. Lipid-lowering and antiobesity effect of (–)-hydroxycitric acid. Nutrition Research 1988;8(2):209-212.

Shiotani A, Saeed A, Yamaoka Y, Osato MS, Klein PD, Graham DY. Citric acid-enhanced Helicobacter pylori urease activity in vivo is unrelated to gastric emptying. Aliment Pharmacol Ther. 2001 Nov;15(11):1763-7.

Singh A, Gull H, Singh RJ. Clinical significance of rapid (accelerated) gastric emptying. Clin Nucl Med. 2003 Aug;28(8):658-62.

Sugden MC, et al. Brown-adipose-tissue lipogenesis in starvation effects of insulin and (–)hydroxycitrate. Bioscience Reports 1982;2(5):289-297.

Sullivan C, Triscari J. Possible interrelationhip between metabolite flux and appetite. In D. Novin, W. Wyriwicka and G. Bray, eds., Hunger: Basic Mechanisms and Clinical Implications (New York: Raven Press, 1976) 115-125.

Sullivan C, Triscari J. Metabolic regulation as a control for lipid disorders. I. Influence of (–)-hydroxycitrate on experimentally induced obesity in the rodent. Am J Clin Nutr. 1977 May;30(5):767-76.

Sullivan C, Triscari J. Novel pharmacological approaches to the treatment of obesity. In George A. Bray, ed., Recent Advances in Obesity Research: II (Westport, CT: Technomic Publishing Co., 1977) 442-452.

Sullivan AC, Dairman W, Triscari J. (--)-threo-Chlorocitric acid: a novel anorectic agent. Pharmacol Biochem Behav. 1981 Aug;15(2):303-10.

Clouatre, et al.

(-)-HYDROXYCITRIC ACID FOR DELAYING GASTRIC EMPTYING

Sullivan, A.C., J. Triscari and L. Cheng. Appetite regulation by drugs and endogenous substances. In Myron Winick, ed., Nutrition and Drugs (New York: Wiley & Sons, 1983), 139-167. Also published as Sullivan AC, Triscari J, Cheng L. Appetite regulation by drugs and endogenous substances. Curr Concepts Nutr. 1983;12:139-67.

Sullivan, Ann C. and J. Triscari. Pharmacologic approaches to the regulation of metabolism and obesity. In Jules Hirsch and Theodore B. Van Itallie, eds., Recent Advances in Obesity Research: IV (London: John Libbey, 1983) 196-207.

Sullivan AC, Gruen RK. Mechanisms of appetite modulation by drugs. Fed Proc. 1985 Jan;44(1 Pt 1):139-44.

Triscari J, Sullivan AC. Comparative effects of (–)-hydroxycitrate and (+)-allo-hydroxycitrate on acetyl CoA carboxylase and fatty acid and cholesterol synthesis *in vivo*. Lipids April 1977;12(4): 357-363.

Triscari J, Sullivan AC. Studies on the mechanism of action of a novel anorectic agent, (--)-threo-chlorocitric acid. Pharmacol Biochem Behav. 1981 Aug;15(2):311-8.

Tucek S, Dolezal V, Sullivan AC. Inhibition of the synthesis of acetylcholine in rat brain slices by (-)-hydroxycitrate and citrate. J Neurochem. 1981 Apr;36(4):1331-7.

Vrang N, Phifer CB, Corkern MM, Berthoud HR. Gastric distension induces c-Fos in medullary GLP-1/2-containing neurons. Am J Physiol Regul Integr Comp Physiol. 2003 Aug;285(2):R470-8. Epub 2003 Apr 24.

Westerterp-Plantenga MS, Kovacs EM. The effect of (-)-hydroxycitrate on energy intake and satiety in overweight humans. Int J Obes Relat Metab Disord. 2002 Jun;26(6):870-2.

Yoshikawa M, Murakami T, Kishi A, Kageura T, Matsuda H. Medicinal flowers. III. Marigold. (1): hypoglycemic, gastric emptying inhibitory, and gastroprotective principles and new oleanane-type triterpene oligoglycosides, calendasaponins A, B, C, and D, from Egyptian Calendula officinalis. Chem Pharm Bull (Tokyo). 2001 Jul;49(7):863-70.

Yuan CS, Attele AS, Dey L, Xie JT. Gastric effects of cholecystokinin and its interaction with leptin on brainstem neuronal activity in neonatal rats. J Pharmacol Exp Ther. 2000 Oct;295(1):177-82.